

www.lortondata.com

ZIP + 4[®] Layout

Standardized Data	Length	Description - only fields requested will be added
cityx	15	15-character city name as provided by USPS®
zip4	4	ZIP + 4 or blank if ZIP + 4 not found
dlvpnt	2	Delivery point
chkdgt	1	Legacy check digit
crrt	4	Carrier route code
lot and an	4	Line of Travel (LOT) number for carrier route mailings
lot_order	1	LOT ascending or descending sort flag
CSZ	40 60	Combination of City, State and ZIP® Code Urbanization (for Puerto Rico addresses)
urban	3	Three digit county code
ctyname	25	County name
		Federal code for state and county. Combines 2-digit state code with 3-digit county code.
fips	5	See Appendix C for state codes.
congdist	3	U.S. Congressional District
rec_type	2	Address match type (a code followed by 'D' indicates a default assignment)
		F = Firm
		G = General delivery
		H = High-rise apartment or office building M = Military
		P = PO Box [™]
		R = Rural route or highway contract
		S = Street (usually one side of one city block)
		Blank = Unassigned (not ZIP + 4 coded)
dpv_flag	1	Indicates whether or not a record matched to the DPV™ database
		Y = Delivery point validated; primary number valid and secondary number
		(when present) valid
		D = Valid primary number; input missing secondary number (primary for RR)
		S = Valid primary number; secondary number (primary for RR) present and
		not confirmed, or a single trailing alpha on a primary number was dropped to make a DPV match
		N = No delivery point validation
		Blank = Record not presented for DPV match (not ZIP + 4 coded)
dpv cmra	1	Indicates whether or not the presented address is a Commercial Mail Receiving Agency
. –		(CMRA)
		Y = Address is a CMRA
		N = Address is not a CMRA
day that	10	Blank = Record not presented for CMRA match (not ZIP + 4 coded)
dpv_ftnts	12	DPV footnotes AA = Input address ZIP + 4 match
		A1 = Input address ZIF + 4 matched
		BB = Input address DPV matched (all components)
		CC = Input address primary number DPV matched, secondary number not DPV
		matched, secondary number not required
		C1 = Input address primary number DPV matched, secondary number not DPV
		matched, secondary number required
		F1 = Input address matches a military address
		G1 = Input address matches a general delivery address
		IA = Informed address identified M1 = Input address primary number missing
		M3 = Input address primary number invalid
		N1 = Input address primary number DPV matched, secondary number missing,
		secondary number required
		NL = An NCOA ^{Link} move address cannot be DPV confirmed. A return code of NL
		means that the NCOA Link directory data does not exactly match the DPV
		means that the NCOA ^{Link} directory data does not exactly match the DPV directory data. This may happen because the NCOA ^{Link} directories are updated
		more frequently than the DPV directories.
		PB = Identified PO Box Street Address
		P1 = Input address missing PO, RR, or HC Box number P3 = Input address PO, RR, or HC Box number invalid
		RR = Input address PV, RR, or RC Box humber invalid
		R1 = Input address DPV matched to CMRA but PMB number not present
		R7 = Address assigned to phantom route R777 or R779
		TA = Input address primary number DPV matched by dropping trailing alpha
		U1 = Input address matches a unique address
dpv_vacant	1	Vacant indicator
		Y = Location has been vacant for 90+ days
		N = Not a vacant address Plank - Popper not presented for vacant match (not 7IP + 4 coded)
		Blank = Record not presented for vacant match (not ZIP + 4 coded)

		
dpv_dna	1	DPV Door Not Accessible Indicator Y = Carrier cannot access the mail receptacle or door
		N = Address is not flagged as door not accessible
		Blank = Address not presented to DNA table (not ZIP + 4 coded)
dpv_nsl	1	DPV No Secure Location Indicator. There is no security at the address. Examples of this
		include no one at the address to collect the mail, storefront does not have a mail receptacle,
		business is closed on certain days.
		Y = Address is flagged as DPV NSL
		N = Address is not flagged as DPV NSL
		Blank = Address not presented to DPV NSL table (not ZIP + 4 coded)
dpv_pobop	1	DPV PO Box Only Postcode Indicator
		Y = ZIP Code is for a PO Box only zone
		N = ZIP Code is not for a PO Box only zone Blank = Address not presented to PO Box Only table (ZIP Code not assigned)
dpv_tback	1	DPV PO Box Throwback Indicator. Identifies street addresses where the delivery point is a
apv_tbaok		street address but mail delivery is to the customer PO Box address.
		Y = Address is a DPV PO Box Throwback
		N = Address is not a DPV PO Box Throwback
		Blank = Address not presented to DPV Throwback table (ZIP Code not assigned)
dpv_ndd	1	DPV Non-Delivery Day Indicator
		Y = There are days when there is no mail delivery
		N = Address is not flagged as having non-delivery days
dpv_nddday	7	Blank = Unable to determine if there are days when there is no mail delivery DPV Non-Delivery Day List.
upv_naday	,	If DPV NDD = N or blank, this field will be blank.
		If DPV_NDD = Y, this field will be populated with Y for non-delivery days and N for delivery
		days as follows:
		1st Character (Sunday)
		2nd Character (Monday)
		3rd Character (Tuesday)
		4th Character (Wednesday)
		5th Character (Thursday)
		6th Character (Friday) 7th Character (Saturday)
		Example: YNNNNY indicates mail is delivery Monday through Friday, but not on Saturday
		or Sunday
dpv_enstat	1	DPV Enhanced Status Indicator
		D = Address was DPV confirmed for the primary number only. Secondary information
		was missing N = Both primary and secondary number (if present) failed to DPV confirm
		R = Address confirmed but assigned to phantom route R777 or R779 and USPS
		delivery is not provided
		S = Address was DPV confirmed for the primary number only, the secondary number
		was present but invalid or a single trailing alpha on a primary number was dropped
		to make a DPV match, and secondary information is required.
		Y = Address was DPV confirmed for both primary and secondary numbers necessary
		to determine a valid delivery point
		Blank = Address was not presented to DPV table (not ZIP + 4 coded)
dpv_pbsa	1	DPV PO Box as Street Address Indicator
. –		Y = Address is a PO Box representd as a Street Address
		N = Address is not a PO Box representd as a Street Address
		Blank = Address not presented to PBSA table (not ZIP + 4 coded)
dpv_dropin	1	DPV Drop Indicator
		Y = Address received mail as part of a drop
		N = Address is not flagged as having mail delivered to a single receptacle at a site
		Blank = Address not presented to Drop Indicator table (not ZIP + 4 coded) DPV NoStat Indicator. If an address is flagged as No Stat the USPS has found one of the
dpv_nostat	1	following cases: vacant property, address receives mail as a part of a drop, or address does
	·	not have established delivery yet.
		Y = Address is flagged as DPV NoStat
		N = Address is not flagged as DPV NoStat
alan matatu		Blank = Address not presented to DPV NoStat table (not ZIP + 4 coded)
dpv_nstatr	2	DPV NoStat Reason Code 01 = Internal Drop Address. Address does not receive mail delivery directly from the
		USPS. The USPS delivers to a drop location that services this address.
		02 = The delivery is new construction and delivery has not been established or on a
		Rural/CDS/HCR where the delivery point is unoccupied for more than 90 days.
		03 = Address does not DPV confirm 04 = College/Military Zone and Other types
		05 = Address is no longer a possible delivery, the address is on an R777 route, or the
		PO Box has never been rented or has been declared un-rentable, or the NoStat
		reason is no one of the other reasons.
		06 = Address has incorrect secondary or missing secondary and secondary
		information is required.

ews	1	EWS consists of records containing partial address information limited to the street name, pre- and post-directionals and a ZIP Code. For an address record to be EWS eligible, it must be an address not present on the most recent monthly production ZIP + 4 File.
		EWS flag
		Y = Matched to EWS file
		N = Not an EWS match
status	6	Status/error codes (See Appendix A for status codes and Appendix B for error codes.)
lac_rtncod	2	Post Office LACS ^{Link®} return codes
		A = LACS ^{Link} record match
		00 = No match, and no converted address
		09 = LACS ^{Link} matched an input address to an old address, which is a
		'high-rise default' address, no new address is provided
		14 = Found LACS ^{Link} record, but could not convert the data to a deliverable address
		92 = LACS ^{Link} record matched after dropping the secondary number from
		input address
		Blank = Record not presented for LACS ^{Link} match
ste_rtncod	2	Post Office Suite ^{Link} return codes
		A = Suite ^{Link} record match, suite information is added to the address 00 = No match, and no suite information added
		Disable Beautiful and a second of the Co. 11 Link and the

Blank = Record not presented for Suite Link match

Geocode Data	Length	Description - returned only when geocoding is requested
latitude	10	Latitude (degrees north of the Equator) in the format "12.123456"
longitude	11	Longitude (degrees east of the Greenwich Meridian) in the format "-12.123456"
gc_tract	6	Census Tract. Statistical subdivision of a county or an equivalent area.
gc_blkgrp	1	Block Group - first digit of the Census Block. Statistical division of Census Tract.
gc_block	4	Census Block. Small area bounded by visible and/or invisible features.
gc_placecd	5	FIPS place code. Number assigned by the U. S. government to each incorporated municipality. This field is only returned with address level geocoding, and only populated for address level matches.
gc_mcd	6	Census Bureau minor civil division (MCD) data, or if MCD data is unavailable, census county division (CCD) data. This field is only returned with address level geocoding, and only populated for address level matches.
gc_level	1	Level of geocode match A = Address match 9 = 9-digit match in centroid 7 = 7-digit match in centroid 5 = 5-digit match in centroid 0 = No match found Blank = Address not presented for Geocode match

Appendix A

Status Codes

A status code tells you how an address was corrected or standardized. The code contains six characters, and each character tells you something about how the record was changed.

Value	What Changed
	1st Character
S	Nothing was truncated
Α	The address line was truncated to fit in your field
В	The address line and city name were truncated to fit in your fields
С	The city name was truncated to fit in your field
	2nd Character
0	No significant change to the city, state, ZIP [™] , or ZIP + 4
1	ZIP
2	City
3 4	City and ZIP
4	State
5 6	State and ZIP
6	City and state
7	City, state, and ZIP
8 9 A	ZIP + 4
9	ZIP and ZIP + 4
В	City and ZIP + 4
C	City, ZIP, and ZIP + 4 State and ZIP + 4
D	State, ZIP, and ZIP + 4
E	City, state, and ZIP + 4
F	City, state, ZIP and ZIP + 4
	3rd Character
0	No significant change to the predirectional, primary (street) name, postdirectional, or suffix
1	Suffix
2	Predirectional
3	Predirectional and suffix
4	Postdirectional
5	Suffix and postdirectional
6	Predirectional and postdirectional
7	Predirectional, suffix, and postdirectional
8	Primary name
9	Primary name and suffix
Α	Predirectional and primary name
В	Predirectional, primary name, and suffix
С	Primary name and postdirectional
D	Primary name, suffix, and postdirectional
E	Predirectional, primary name, and postdirectional
F	Predirectional, primary name, postdirectional, and suffix
	4th Character
0	No change in county, carrier route, DP2 and/or DPC, or unit designator
1	Unit designator
2	DP2 and/or DPC
3	DP2 and/or DPC and unit designator
4	Carrier route
5	Carrier route and unit designator
6 7	Carrier route, and DP2, and/or DPC Carrier route, and DP2 and/or DPC, and unit designator
	County number
9	County number and unit designator
A	County number, and DP2, and/or DPC
В	County number, DP2 and/or DPC, and unit designator
C	County number, 512 and on 510, and unit designator
D	County number, carrier route, and unit designator
E	County number, carrier route, and DP2, and/or DPC
F	County number, carrier route, and DP2 and/or DPC, and unit designator
	5th Character
	No change to the LOT (line of travel), LOT Order (line of travel order), or Urb (Urbanization code)
0	
0	LOT
0 1 2	LOT Order
1	-
1	LOT Order LOT and LOT Order Urb
1 2 3 4 5	LOT Order LOT and LOT Order Urb Urb and LOT
1 2 3 4 5 6	LOT Order LOT and LOT Order Urb Urb and LOT Urb and LOT Order
1 2 3 4 5	LOT Order LOT and LOT Order Urb Urb and LOT Urb and LOT Order Urb, LOT, and LOT Order
1 2 3 4 5 6	LOT Order LOT and LOT Order Urb Urb and LOT Urb and LOT Order

Appendix B

Error Codes

Code	Description
Code	
E101	The data contains either 1) no last-line data at all, 2) only a city name, or 3) only a state. There is not enough last-line data to justify going any
E194	further with the assignment process. Failure to match to Unique ZIP Code, directional, street suffix, or primary number may be missing or invalid.
	The input data does not include a recognizable city name, so look-up in the City directory is impossible. The input data includes a ZIP Code, but no
E212	match for it can be found in the ZCF directory. This error does not indicate whether or not the state data is valid.
	The input data includes a valid state and something that might be a city name, but no match for them can be found in the City directory. The input
E213	
	data does not include a ZIP Code, so no look-up in the ZCF directory is possible. The input data includes something that might be a city name, and something that might be a ZIP Code. However, both of them are invalid, because
E214	no match for either of them can be found in the City and ZCF directories.
	The input data may or may not include a ZIP Code. If a ZIP is input, no match for it can be found in the ZCF directory. When looking up the input
E216	city and state in the city directory, the software finds two or more matching cities in the state. Because the input ZIP is invalid or missing, the
LZIO	software cannot break the tie between possible city matches, nor determine which ZIP to assign.
E302	Nothing in the input record is recognized as a primary address line.
	No match for the input street name can be found in the ZIP+4 directory. Perhaps the street name is misspelled or incorrectly abbreviated. If the
E412	input address line contains extraneous data that might be interpreted as a part of the street name, this also can result in E412.
	The ZIP+4 directory contains two or more street names that resemble the input street name. However, the resemblance between potential matches
E413	is so close that one cannot be chosen.
	Nothing in the input address line is recognized as a primary range (house number). This may mean that the primary range truly is missing, or that it
E420	cannot be recognized.
F.16:	According to the ZIP+4 directory, the input primary range (house number) is invalid. That is, it does not fall within any of the ranges listed for that
E421	street, route, or building.
E466	The ZIP+4 directory indicates that a predirectional is required to choose between possible matches. However, either the input data does not
E422	include a predirectional, or the input predirectional is invalid (not among those listed for the street).
F 400	The ZIP+4 directory indicates that a suffix is required to choose between possible matches. However, either the input data does not include a
E423	suffix, or the input suffix is invalid (not among those listed for the street).
E 405	The ZIP+4 directory indicates that both a suffix and a directional are required to choose between possible matches. However, either the input data
E425	does not include a suffix and directional, or the input suffix and directional are invalid (not among those listed for the street).
F407	The ZIP+4 directory indicates that a postdirectional is required to choose between possible matches. However, either the input data does not
E427	include a postdirectional, or the input postdirectional is invalid (not among those listed for the street).
	The input ZIP is missing or invalid. The City directory shows that the input city/state covers two or more ZIP Codes. The ZIP+4 directory has
E428	matches for the address line in at least two of those ZIP Codes. The software can't use the invalid input ZIP to break the tie on the address line, nor
	use the address line to choose a valid ZIP.
	The input city name is missing or invalid. The ZCF directory shows that the input ZIP applies to two or more city names. The ZIP+4 directory has
E429	matches for the address line in at least two of those citites. The software can't use the input city to break the tie on the address line, nor use the
	address line to choose a city name.
E430	The ZIP+4 directory contains two or more address lines that resemble the input address line. However, the similarity between potential matches is
00	so close that one cannot be chosen over another.
E431	The ZIP+4 directory contains two or more address lines that resemble the input address line. To break the tie, the Puerto Rican urbanization is
	needed. However, either the input address does not include an urbanization, or the input urbanization is incorrect.
E439	Exact match made in EWS directory.
E500	E500 is a catch-all error code assigned when no more specific code can be assigned. Usually it indicates that no potential match meets the
EE01	minimum confidence level, or that there is an unresolved tie between two or more potential matches.
E501	The address is foreign—that is, not within the domestic U.S., territories, or possessions.
E502	All of the fields used in address look-up are blank. There may be data in non-address fields. The input address like subside the area covered by the ZIP 4 directory. This error usually excurs when a state or regional ZIP 4 directory in being
	The input address lies outside the area covered by the ZIP+4 directory. This error usually occurs when a state or regional ZIP+4 directory is being
E503	used, or a custom directory created through the Extract utility. E503 should not occur when using the National directory (zip4us.dir). If it does, it
	may mean that you have found a conflict between the City and ZCF directories and the National directory. You should report it to your Address
	Management Systems Office by sending them an e-mail (amsssupport.ncsc@usps.gov). The address line matches at least two ZIP+4 records. The ranges of those ZIP+4 records overlap, and the software cannot break the tie. E504
E504	indicates a flaw in the ZIP+4 database. You should report it to your Address Management Systems Office by sending them an e-mail
LJ04	(amssupport.ncsc@usps.gov).
	The record matches an undeliverable default record. If further information were provided, such as secondary address data or firm name, the
E505	address would have been assigned.
	According to the USPS, no delivery to this address is possible. The address is listed in the ZIP+4 directory, but the record is tagged as
	undeliverable by the USPS. Most often, it might be a cemetery, parking ramp, or condemned building. E600 is unusual because it indicates a
E600	successful match to the ZIP+4 directory. All other error codes mean that there was no match. Undeliverable addresses are tagged as "errors" for
	the convenience of users who suppress mailing to "bad" addresses—unassigned and undeliverable records.
E601	Not a valid delivery point. ZIP+4 removed.
	Some addresses that are valid may be marked incorrectly as undeliverable. This is caused by an error in the USPS data. If you find such an
Note:	address, you should report it to your Address Management Systems Office by sending them an e-mail (amssupport.ncsc@usps.gov).